

## LIST OF PUBLICATIONS

Prof. Dr. Gerald Grüber  
Abteilung für Physikalische Biochemie  
Physiologisch-chemisches Institut  
der Universität Tübingen

1. Synthesis and immunological activity of peptides of the thymus gland  
W.Voelter, H.Echner, H.Kalbacher, T.Q.Dinh, A.Kapurniotu, M.Jahan,  
G.Grüber, P.Link, M.Mihelic and W.Stock  
In: D.Theodoropoulos (ed.), Peptides 1987, Walter de Gruyter & Co., Berlin,  
pp. 581-584
2. High-performance liquid chromatographic investigations on the cleavage kinetics of  
side-chain-protected arginine derivatives with a sophisticated post-column reaction  
detector  
G.Grüber, F.Gutjahr, H.Echner, W.Voelter and H.Bauer  
Journal of Chromatography, 512, 1990, pp. 249-254
3. Application of flow gradient techniques (HPCE) of peptides and proteins  
H.Bauer, G.Grüber and B.Wolf  
In: E.Giralt and D.Andreu (eds.), Peptides 1990, Escom, Leiden, pp. 329-330
4. An HPLC System for use in the development of new arginine protecting groups  
W.Voelter, G.Grüber, F.Gutjahr and H.Echner  
Chromatographia, 30, 1990, pp. 719-724
5. Carboxamidomethyl ester as useful handle in polystyrene-based peptide synthesis:  
Cleavage of peptide with mercaptide  
M.S.Shekhanie, G.Grüber, H.Echner and W.Voelter  
Tetrahedron Letters 31, 1990, pp. 339-440
6. Der Strukturbeleg für Dequalinium  
G.Grüber, W.Voelter, H.Henke und H.Mayer  
Pharm.Ind. 52, 1990, pp. 794-800
7. A test-case for the 1-(1-adamantyl)-1-methylethoxycarbonyl (Adpoc) group: solid-  
phase synthesis of lh-rh using Adpoc protection and an acid labile handle  
J.Shao, M.S.Shekhani, S.Krauss, G.Grüber and W.Voelter  
Tetrahedron Letters 32, 1991, pp. 345-346
8. Application of capillary electrophoresis in peptide research  
E.Yildiz, G.Grüber, S.Hörger, H.Zimmermann, H.Echner S.Stoeva and W.Voelter  
Electrophoresis 13, 1992, pp. 683-686
9. Application of matrix-assisted laser desorption mass spectrometry in peptide  
sequencing and synthesis  
G.Grüber, H.Echner, W.Voelter and S.Stoeva  
In: C.H.Schneider, A.N., Eberle (eds.), Peptides 1992, Escom, Leiden,  
pp. 445-446

10. Structures and synthesis of Thymosin  $\beta_{11}$  and  $\beta_{12}$   
H.Echner, P.Yialouris, A.A.Haritos, G.Grübler and W.Voelter  
In: C.H.Schneider, A.N., Eberle (eds.), Peptides 1992, Escom, Leiden,  
pp. 751-752
11. Optimized solid phase peptide synthesis of a 41 AA residue peptide sequence of  
gp41 envelope glycoprotein with significant high sensitivity against HIV-1 antibody  
positive sera  
S.Stoeva, G.Grübler, W.Rönspeck, H.Echner and W.Voelter  
In: C.H.Schneider, A.N., Eberle (eds.), Peptides 1992, Escom, Leiden,  
pp. 856-857
12. Capillary zone electrophoresis (CZE) for quality control of pharmaceutical drugs  
G.Grübler, H.Mayer and W.Voelter  
Bioforum 3, 1992, pp. 50-51
13. The Conformation of thymopentin in water. Discrimination between two possible  
 $\gamma$ -turns by a simple  $^{13}\text{C}$ -NMR procedures  
G.Grübler, H.Echner, W.Voelter, G.Folkers, M.Krug and I.Z.Siemion  
Polish J. Chem. 66, 1992, pp. 1269-1276
14. Capillary electrophoresis, an attractive analytical tool in the laboratories of peptide  
chemists  
G.Grübler, E.Yildiz, H.Zimmermann, M.Mihelic, H.Echner, S.Stoeva,  
S.Spyropoulos and W.Voelter  
In: N.Yanaihara (ed.), Peptide Chemistry 1992, Escom, Leiden, pp. 208-211
15. Characterization of complex peptide/protein mixtures by matrix-assisted laser  
desorption mass spectrometry  
S.Stoeva, G.Grübler, H.Echner and W.Voelter  
In: N.Yanaihara (ed.), Peptide Chemistry 1992, Escom, Leiden, pp. 615-617
16. Gp-41 envelope glycoprotein partial sequence with high sensitivity against HIV-1  
antibody positive sera  
S.Stoeva, G.Grübler, W.Rönspeck, H.Echner and W.Voelter  
In: N.Yanaihara (ed.), Peptide Chemistry 1992, Escom, Leiden, pp. 208-211
17. Optimization of solid phase oligonucleotide syntheses by optosensor monitoring and  
comparison of different solid supports  
W.Voelter, G.Grübler, H.Straubinger, T.H.Al-Tel, A.Tippelt, M.Geiger and W.Reinig  
Minerva Biotec. 5, 1993, pp. 162-165
18. HIV-Transmembrane glycoproteine GP41 env fragments with high antigenicity and  
their application to determine HIV-positive sera  
S.Stoeva, G.Grübler, H.Echner, W.Rönspeck and W.Voelter  
In: Z.H.Zaidi, A.Abbasi and D.L.Smith (eds.), Protein Structure-Function Relationship  
1993, Twel Publishers, Karachi-Doncaster-Gaithersburg, pp. 299-305
19. Kapillarelektrophorese in der biochemischen Forschung  
W.Voelter, G.Grübler, H.Staubinger, H.Zimmermann, S.Stoeva, H.Echner,  
T.Kaiser und G.Paulus  
LABO, 1, 1994, pp. 40-49

20. A convenient, straightforward solid phase synthesis of  $\gamma$ -endorphin on polystyrene matrix, grafted with polyoxyethylene spacer arms, using Fmoc amino acid N-carboxy anhydrides  
G.Grübler, S.Stoeva, H.Echner and W.Voelter  
In: R.S.Hodges and J.A.Smith (eds.), Peptides 1994, Escom, Leiden, pp. 51-53
21. Purity control and sample identification of synthetic peptides by capillary electrophoresis (CE)  
T.Kaiser, S.Stoeva, G.Grübler, H.Echner, A.Haritos and W.Voelter  
In: R.S.Hodges and J.A.Smith (eds.), Peptides 1994, Escom, Leiden, pp. 244-246
22. HIV-transmembrane glycoprotein GP41 env fragments with high antigenicity and their application to determine HIV-positive sera  
S.Stoeva, G.Grübler, H.Echner, W.Rönspeck and W.Voelter  
Pure & Appl.Chem. 66, 1994, pp. 101-104
23. Matrix-assisted laser desorption mass spectrometry of enzymatic digests of peptides and proteins  
S.Stoeva, G.Grübler, S.Hörger, A.Keen and W.Voelter  
In: R.S.Hodges and J.A.Smith (eds.), Peptides 1994, Escom, Leiden, pp. 262-264
24. Flexibility of the Ecosyn P synthesizer; development of up-scale and low-scale equipment  
W.Voelter, H.Echner, G.Grübler, S.Stoeva, C.Schröder and A.A.Haritos  
In: R.Epton (ed.), Solid Phase Synthesis 1994, Mayflower Worldwide, Oxford, pp. 183-186
25. The Ecosyn D 100, an economic oligonucleotide synthesizer  
G.Grübler, H.Zimmermann, W.Reinig, R.Kern and W.Voelter  
In: R.Epton (ed.), Solid Phase Synthesis 1994, Mayflower Worldwide, Oxford, pp. 187-190
26. Optimized solid phase of oligonucleotides using polyethylene glycol/polystyrene copolymers  
G.Grübler, H.Straubinger, W.Reinig, H.Echner, M.Geiger and W.Voelter  
In: R.Epton (ed.), Solid Phase Synthesis 1994, Mayflower Worldwide, Oxford, pp. 191-196
27. Solid phase synthesis (SPPS) of a C-terminal proline peptide using an anchor system suppressing diketopiperazine (DKP) formation  
G.Grübler, H.Zimmermann, H.Echner, S.Stoeva E.Bernardi, B.Pourrias and W.Voelter  
In: R.Epton (ed.), Solid Phase Synthesis 1994, Mayflower Worldwide, Oxford, pp. 517-520
28. Design and development of synthetic peptide antigens  
W.Voelter, S.Stoeva, T.Kaiser, G.Grübler, M.Mihelic, H.Echner, A.A.Haritos, Seeger and T.H.Lippert  
Pure & Appl.Chem. 66, 1994, pp. 2015-2022
29. Comparison of different substituted 4-benzyloxytritylamine linkers for solid phase synthesis of peptide amides  
M.Meisenbach, G.Grübler, G.Paulus and W.Voelter  
In: H.L.S.Maia (ed.), Peptides 1994, Escom, Leiden, pp. 265-266

30. Ion-exchange chromatographic determination of selenomethionine  
G.Grübler, H.Zimmermann, S.Stoeva, K.Pfeiffer, K.Baldes and W.Voelter  
In: H.L.S.Maia (ed.), Peptides 1994, Escom, Leiden, pp. 410-411
31. Actin-binding motif  $\beta$ -thymosins  
S.Stoeva, G.Grübler and W.Voelter  
In: H.L.S.Maia (ed.), Peptides 1994, Escom, Leiden, pp. 601-602
32. Capillary electrophoresis of human serum proteins and apolipoproteins  
R.Lehmann, H.M.Liebich, G.Grübler and W.Voelter  
Electrophoresis 16, 1995, pp. 1-4
33. Rational approach to fractionation, isolation, and characterization of polysaccharides from the lichen cetraria islandica  
P.Krämer, U.Wincierz, G.Grübler, J.Tschakert, W.Voelter and H.Mayer  
Arzneim.-Forsch./Drug Res. 45(I), 6, 1995, pp. 726-731
34. Capillary electrophoresis, a competitor for routine serum electrophoresis  
R.Lehmann G.Grübler, W.Voelter and H.M.Liebich  
Klin.Wochenschr. 11, 1995
35. Capillary electrophoresis as a rapid and sensitive method for routine of apolipoprotein A-I in clinical samples  
H.M.Liebich, R.Lehmann, A.E.Weiler, G.Grübler and W.Voelter  
Journal of Chromatography A 717, 1995, pp. 25-31
36. Development of a routine method for selenomethionine determination in selenium yeasts  
H. Zimmermann, G. Grübler, A. Weiler, M. Schick, S. Stoeva, R. Lehmann and W. Voelter  
Amino Acids 9, 1995, pp. 2
37. Development and characterization of antibodies, specific for human relaxin 2 (hrlx-2)  
M.Meisenbach, F.P.Armbruster, S.Becker, H.J. Grön, G.Grübler, T.H. Lippert, G. Paulus and W.Voelter  
In: Pravin T.P. and R.S.Hodges (eds), Chemistry, Structures and Biology 1996, Mayflower Scientific Ltd. 1996, pp. 818-819
38. Characterization of natural peptides from bovine tissue using capillary electrophoresis, high performance liquid chromatography, matrix-assisted laser desorption ionization, and Edman degradation  
A. Weiler, S. Stoeva, R. Lehmann, G. Grübler, G. Paulus und W.Voelter  
Electrophoresis 17, 1996, pp. 518-522
39. Optimized automated solid phase synthesis of oligonucleotides and derivatives  
G.Alvarado Urbina, W.Voelter, A.Weiler, H.Echner, S.Stoeva, J.P.Shemthaler, W.Reinig, G. Grübler and W.Gross  
In: R.Epton (ed.), Solid Phase Synthesis & Combinatorial Libraries 1996, Mayflower Scientific Limited, Birmingham, 1996, pp. 135-140
40. Solid phase synthesis of peptide fragments of human relaxin for the isolation of specific antibodies  
M.Meisenbach, F.P.Armbruster, S.Becker, T.H.Lippert, G.Paulus, H.-J. Kohlbaue, G.Grübler and W.Voelter  
In: R.Epton (ed.), Solid Phase Synthesis & Combinatorial Libraries 1996, Mayflower Scientific Limited, Birmingham, 1996, pp. 477-479

41. The  $\beta$ -thymosin-story  
W.Voelter, K.M.Khan, H.Echner, G.Grübler, H.Zimmermann, R.Tsitsiloni and S. Stoeva  
In: R.Epton (ed.), Solid Phase Synthesis & Combinatorial Libraries 1996, Mayflower Scientific Limited, Birmingham, 1996, pp. 247-252
42. Optimized purity control of synthetic oligodeoxyribonucleotides by capillary electrophoresis for clinical PCR analysis  
R.Lehmann, M.Koch, G.Grübler, W.Reinig, H.Zimmermann, W.Gross and W.Voelter  
In: R.Epton (ed.), Solid Phase Synthesis & Combinatorial Libraries 1996, Mayflower Scientific Limited, Birmingham, 1996, pp. 455-458
43. Chemical and biological evaluation of  $\beta$ -thymosin  
W.Voelter, S.Stoeva, A.Karpurniotu, O.E.Tsitsiloni, H.Echner, G.Grübler, M.Schick and R. Lehmann  
In: H.R.Maurer, A.L.Goldstein and E.D.Hager (eds.), Thymic Peptides in Preclinical and Clinical Medicine 1996, W.Zuckerschwerdt Verlag München, Bern, Wien, New York, 1996, pp. 1-12
44.  $\beta$ -Thymosin, a wide-spread family of oligopeptides with fundamental cell function  
W.Voelter, J.Schütz, F.P.Armbruster, H.Echner, G.Grübler, A.Kapurniotu, S.Stoeva, O.E.Tsitsilonis, G.Paulus, H.Faulstich and R.Stoll  
GIT Laboratory Journal 1, 1997, pp. 48-51
45. Determination of selenomethionine by microwave hydrolysis and ion-exchange chromatography  
G.Grübler, S.Stoeva, H.Zimmermann, K.Pfeiffer, A.Kant and W.Voelter  
In: Z.H.Zaidi and D.L.Smith (eds.), Protein Structure-Function Relationship 1997, Plenum Press, New York and London, 1997, pp. 276

## Poster

Investigations on cleavage kinetics of side chain protected arginine derivatives using a sophisticated post column reaction detector.

G.Grübler, F.Gutjahr, W.Voelter and H.Bauer.  
Philadelphia, 6-8 Nov., 1989.

Application of peptide synthesis for the development of specific antibodies.

W.Voelter, H.Echner, G.Grübler, H.Bauer, M.Mihelic and E.Livaniou.  
Protein Structure Function and Protein Sequencing.  
Karachi, 1-14 Dez., 1989.

The unexpected high activity of Pro<sup>5</sup>-TP5 analogue.

G.Grübler, W.Voelter, Z.Wieczorek, E.Nawrocka-Bolewska, M.Zimecki and I.Z.Siemion.  
Conformation Activity in Peptides: Relationship and Interactions.  
Capri, 21-23 Mai., 1990.

Application of flow gradient techniques to high performance capillary zone electrophoresis (HPCE) of peptides and proteins.

H.Bauer, G.Grübler and B.Wolf.  
European Peptide Symposium, Platja d'Aro, 2-8 Sept., 1990.

In vivo/in vitro Metabolisierung von Xenobiotika. Ein neuer, das Wachstum beeinflussender Faktor für Leberzellen.

W.Voelter, R.Herzog und G.Grübler.  
Statusseminar des Forschungsschwerpunkts Umwelttoxikologie.  
Eberhard-Karl-Universität Tübingen, 29.Nov., 1990.

Synthese und Immunreaktivität eines Fragments mit 41 Aminosäureresten.

S.Stoeva, G.Grübler, W.Rönspeck, H.Echner und W.Voelter.  
Peptidkolloquium, Jena 1992.

Die Laser-Desorptions-Massenspektrometrie, eine attraktive analytische Methode für den Peptidchemiker.

G.Grübler, H.Echner, S.Stoeva und W.Voelter.  
Peptidkolloquium, Jena 1992.

Application of matrix-assisted laser desorption mass spectrometry in peptide sequencing and synthesis.

G.Grübler, H.Echner, W.Voelter and S.Stoeva.  
22nd Eur.Pept.Sym. 1992.

Structures and synthesis of Thymosin  $\beta$ 11 and  $\beta$ 12.

H.Echner, P.Yialouris, A.A.Haritos, G.Grübler and W.Voelter.  
22nd Eur.Pept.Sym. 1992.

Optimized solid phase peptide synthesis of a 41 AA residue peptide sequence of gp41 envelope glycoprotein with significant high sensitivity against HIV-1 antibody positive sera.

S.Stoeva, G.Grübler, W.Rönspeck, H.Echner and W.Voelter.  
22nd Eur.Pept.Sym. 1992.

Capillary electrophoresis, an attractive analytical tool in the laboratories of peptide chemists.  
G.Grübler, E.Yildiz, H.Zimmermann, M.Mihelic, H.Echner, S.Stoeva, S.Spyropoulos and  
W.Voelter.  
2nd JASPEC 1992.

Characterization of complex peptide/protein mixtures by matrix-assisted laser desorption  
mass spectrometry.  
S.Stoeva, G.Grübler, H.Echner and W.Voelter.  
2nd JASPEC 1992.

Gp-41 envelope glycoprotein partial sequence with high sensitivity against HIV-1 antibody  
positive sera.  
S.Stoeva, G.Grübler, W.Rönspeck, H.Echner and W.Voelter.  
2nd JASPEC 1992.

New convenient synthetic approaches to an highly sensitive methods for purity control of  
vasopressin and analogues.  
G.Grübler, H.Straubinger, S.Stoeva, H.Echner and W.Voelter.  
Vasopressin IV, Berlin, 23 Mai 1993.

## Lebenslauf

Name	Dr.Gerald Grüber
Geburtstag	23.9.53
Geburtsort	Ravensburg
Staatsangehörigkeit	deutsch
Konfession	evangelisch
Familienstand	ledig
Eltern	Käte Grüber geb. Kleppe Prof.Dr.Harald Grüber (am 1.9.1976 verstorben)
Geschwister	Dr.Ursula Schoch-Grüber Beate Eberle Olaf Grüber
Schul Ausbildung	1959-1964 Volksschule 1964-1971 Gymnasium in Isny 1971-1974 Christopherus Schule in Altensteig 1974 Abitur
Bundeswehr	1974-1975 Gebirgsjäger in Mittenwald
Berufsausbildung	1975-1980 Chemieingenieur Aachen Abt. Jülich 1980-1981 Assistent an der Naturwissenschaftliche Akademie in Isny 1981-1985 Chemiestudium in Bremen 1985 Diplomarbeit 1985-1986 Untersuchungslabor an der Naturwissen- schaftliche Akademie in Isny 1986-1990 Dissertation an der Fakultät für Chemie und Pharmazie der Eberhard-Karls-Universität Tübingen 1990 freier Mitarbeiter bei der Firma Eppendorf/Biotronik